


STROUD RURAL DISTRICT COUNCIL.



MEDICAL OFFICER'S .

and

SANITARY INSPECTORS'

REPORTS

for



II TO SEE THE PERSON

24th ANNUAL REPORT

OF THE

MEDICAL OFFICER OF HEALTH,

For 1897.

TO THE STROUD RURAL DISTRICT COUNCIL.

MR. CHAIRMAN, LADIES, AND GENTLEMEN,

I have to submit my Annual Report for 1897, which, I may say, is of a favourable character, although the death rate is rather higher than that of the previous year. A larger number of deaths took place among old people.

The Infantile rate does not show any increase, and should be still lower than it is, as the analysis of the causes would indicate that some are the result of preventable affections.

The Uncertified Deaths require no special remark beyond noting the mortality from "Probable" Causes. Something more definite might be given by having a Medical opinion in doubtful cases.

The Zymotic Rate of mortality compares favourably with those of previous years, and has been slowly and gradually becoming less. Were it not for the preventable forms of this class it would be much lower and affect the several rates accordingly.

VITAL STATISTICS.

The Population to the end of the past year estimated for increase is about 30,226.

During that period 661 Births were recorded—343 males, 318 females. A rate of 21.2 per 1,000 of population.

26 in the Workhouse, 12 males, 14 females, and 10 in the Hospital—males 4, females 6—giving a rate of 14.6 per 1,000.

The Rate for last year was 12.8 per 1,000 living.

The Birth and Death Rates for all England and Wales were 29.7 and 17.4 per 1,000 respectively.

EPITOME OF	DEATHS	AT I	DIFFERENT	AGES	FOR	1897.
------------	--------	------	-----------	------	-----	-------

					No.	Tl.	W.	Н.	T1.	Tls.
	Under 1 ye	ar	•••		74		О	O	74	
	and under		years		38	I I 2	Ο	О	38	I I 2
5	,,	15	,,	• • •	13		0	2	15	
15	,,	25	,,		20		I	I	22	
25	,,	60	,,	• • •	89	I 2 I	3	5	97	134
60	,,	70	,,	• • •	54		5	I	60	
70		80	,,	• • •	82		13	I	96	
80	,,	90	,,	• • •	26		4	O	30	
90	,,	100	,,	• • •	12	174	О	0	I 2	198
				-						
					408	408	26	10	444	444

198 persons died upwards of 60 years of age, including 22 in the Workhouse, and 2 in the Hospital, a rate of 44.6 per cent. of deaths, and 6.5 per 1,000 living.

12 of the total number were upwards of 90 years old.

INFANTILE MORTALITY.

74 children died under one year of age, a rate of 111.9 per 1,000 of births.

For all England and Wales the rate was 156 per 1,000 of births.

Causes of Deaths in Infants under One Year.

Diarrhœa	• • •	4	Gastric	• • •	3
Measles	• • •	Í	Stomatitis		I
Whooping Coug	gh	9	Debility		2
Bronchitis	•••	20	Tabes		I
Uncertified		6	Peritonitis	• • •	I
Brain Disease	• • •	I	Convulsions		3
Chicken Pox	• • •	I	Lung		Ī
Natural Causes		3	Intestinal Cata	rrh	I
Inanition		3	Dermatitis	• • •	I
Marasmus		I	Premature	• • •	9
Dentition		I	Tubercular Dis	ease	
			of Bowels		I
					_
		50			24

A curious coincidence that within two the same number of deaths in this Class was recorded for the past three years, and the comparative death rate about the same.

UNCERTIFIED DEATHS.

many in this class of deaths should not occur unless under exceptional circumstances, being usually the result of either wilful neglect or ignorance, too often the former.

STATED CAUSES OF UNCERTIFIED DEATHS.

- 1 Debility from Birth, age 1 month;
- 2 Premature Birth, Twins, age 1 hour and 4 hours;
- I Convulsions, age 10 months;
- 1 Convulsions, age 4 days;
- 1 Diarrhœa, age 82 years;
- I Cancer, age 74 years;
- I Probably Heart Disease, age 78 years;
- I Probably Apopletic Seizure, age 72 years;
- 1 Natural Causes, probably Heart Disease, age 73 years.
- 1 Bronchitis and probably Heart Disease, age 67 years.
- Debility, age 23 hours, reported to Coroner who considered an Inquest unnecessary.

TABLE OF DEATHS.

From		No.		per 1,000 ir	ncluding V	Vorkho	use & H	ospital
Phthisis	• • •	28	• • •	0.93		О	• • •	I
Bronchitis	•••	8o	• • •	2.6	• • •	2	• • •	О
Heart Disea	ase	5 9		1,0	• • •	4	•••	I
Cancer	•••	33		1.09	•••	3	•••	I

- 25 Inquests were held including 2 in the Workhouse, and 4 in the Hospital.
- 12 Natural Causes, 7 Injuries, and 6 others which require no special comment.

From the large and important class of Notifiable Infectious Diseases 82 cases were recorded and 6 deaths, a rate of 1'3 per cent. of deaths and 0'19 per 1,000 of population.

For all England and Wales the rate was 2'15 per 1,000 living.

SCARLET FEVER.

Was not answerable for any deaths. 30 cases were notified, generally of a mild form. 10 Parishes and one School were affected.

DIPHTHERIA.

23 cases were notified and 4 deaths. One case at Hamwell Leaze, Cainscross. The Hamlet specially reported the last two years as being in a very unsanitary state with reference to drainage and water supply, &c. (The Stroud Water Company are now supplying the houses with Chalford Water.)

At Cranham 5 cases were notified (no death). The first case is supposed to have come from outside this District. Water supply and sanitary state good.

Six cases at Ryeford, Stonehouse, were specially reported in July last. The first supposed to have been contracted previous to entering this District. (Two deaths.)

MEMBRANOUS CROUP.

A form of Diphtheria, caused 2 deaths, one at Painswick, the other at Hamwell Leaze, specially reported.

ENTERIC OR TYPHOID.

Eight cases were notified, I Cainscross, 2 Ebley, I Painswick (death), I Cranham, 2 Thrupp. This last named place has been often reported for its general unsanitary state, defective drainage, water supply, &c., and sometimes the habits of the people aggravate it. Water and milk supplies are carefully investigated in all places affected.

ERYSIPELAS.

17 cases generally of an Idiopathic character. Sanitary defects sometimes account for this complaint.

PUERPERAL FEVER.

Two cases. One of a septic character.

Places affected by Diseases of the Notifiable Zymotic Class:— Painswick.

17 cases. 6 Scarlet Fever; 5 of Diphtheria; 1 Typhoid (death); 1 Membranous Croup (death); 4 Erysipelas.

Rodborough.

11 cases. 5 Scarlet Fever; 1 Typhoid; 2 of Diphtheria (one death); 3 Erysipelas.

STONEHOUSE.

11 cases. 6 Diphtheria (2 deaths); 3 Scarlet Fever; 2 Erysipelas. None of these occurred in the village itself.

STROUD RURAL.

10 cases. 3 Erysipelas at Thrupp; 3 Typhoid, 2 at Thrupp, 1 at Quarrhouse, Brimscombe; 4 Scarlet Fever, 2 Whiteshill, 1 Thrupp, 1 Ruscombe. (No death).

EBLEY AND CAINSCROSS.

7 cases. 2 Typhoid; 2 Erysipelas; 1 Membranous Croup (death); 2 Diphtheria.

CRANHAM.

6 cases. I Typhoid; 5 Diphtheria. The Diphtheria was, I believe, brought into the District and spread by contagion. (One death).

MINCHINHAMPTON.

5 cases. 3 Scarlet Fever; 1 Diphtheria; 1 Puerperal.

Woodchester.

4 Scarlet Fever.

HORSLEY.

1 Scarlet Fever; 2 Erysipelas.

PITCHCOMBE.

2 Scarlet Fever.

KING STANLEY.

1 Scarlet Fever; 1 Erysipelas.

LEONARD STANLEY.

1 Scarlet Fever.

CHALFORD.

1 Diphtheria.

RANDWICK.

1 Puerperal.

Non-Notifiable Zymotic Diseases Caused 26 Deaths.

One of Measles. The notification of this disease has been suggested, but being infective three or four days before the rash appears it would be comparatively useless as a preventive, and very costly to carry out, but isolation at home should be practised as an advantage to both the patient and the family, for the longer the person mixes with others the greater the infection likely.

Three Schools were closed owing to Measles, one to Diphtheria and three to an epidemic of mumps.

WHOOPING COUGH

Caused 19 deaths, 9 under 1 year and 10 under 5.

DIARRHŒA

Caused six deaths in Infants.

INFLUENZA

Was the cause of eight deaths. One child under five years, and seven persons upwards of five.

This complaint has been very prevalent. Climatic conditions during the latter part of the year being the probable cause.

DRAINAGE.

The Drainage of those parts of the District requiring it is still under the consideration of the Council.

The Urban District of Nailsworth has declined to join in the scheme, preferring to make their own arrangements for sewage disposal.

WATER SUPPLY.

The Water Supply of all the Districts is much the same as previously reported.

The Chalford Company are still extending their mains.

Some of the houses on the hills have rain-water tanks underground, and they get a fairly good supply of wholesome water, away from aërial contamination. A cottage of 30 feet by 15 yields about 8,010 gallons, about 21.94 gallons a day.

Hospital accommodation for Small Pox at Stancombe is in good order and ready at short notice to receive patients, and the water supply is increased by the addition of an underground tank to collect roof water, and holds 2,900 gallons.

ABSTRACT OF VISITS AND CASES FROM MEDICAL OFFICER'S JOURNAL.

Reports to Local G	overnr	nent B	oard			6
Reports, Special, to	Loca	1 Gove	rnmen	t Board	•••	
Reports to Rural D	istrict	Counc	il	20014		4
Visits to Districts a				•••	•••	_
Premises and Hous		factiva	Droin		•••	200
Visits to close Scho	•			age	•••	20
			•••	•••	•••	7
Certificates to close				•••	•••	7
Water Supply and	Defecti	ive Dra	ains	•••	•••	10
Water Samples Exa	amined	l	•••	•••	•••	29
Cases of Overcrowd	ding	•••	•••	•••	• • •	Í
Cases of Illness rep	orted:	; 				
Typhoid or Ent	eric	•••			:	8
Diphtheria 23;	Mem	branou	s Cro	up 2	2	
Erysipelas	• • •			-P -		
Puerperal		•••	•••	•••	I,	
Scarlet Fever	•••	•••	•••	•••		2
	•••	•••	•••	•••	30	_
Attending Pural Di	stuist C	· · · · · · · · · · · · · · · · · · ·				82
Attending Rural Dis	strict (Jouncii	S	•••	•••	20
Animals kept so as t	to be a	nuisai	nce	•••	•••	3
Letters and Post Ca	rds	•••	• • •	•••	•••	83

Abstract of Visits and Cases from Medical Officers' Journal-cont.

Special Consultations re Dip	ht	heria	• • •	•••	Several
Quarterly Reports	•••	• • •	• • •	• • •	4
		• • •	•••	• • •	2
	•••	• • •	•••	• • •	30
Houses Unfit for Habitation		• • •	•••	• • •	9
Case Exposure Scarlet Feve	er	•••	•••	• • •	I
School, Unsanitary State	• • •	• • •	• • •	•••	I
•		Total	• • •	•••	525

Appended are the Local Government Board's Tables, A and B., giving all details of cases classified.

I have the honour to remain,

Your obedient Servant,

THOMAS PARTRIDGE,

M.O.H.

FEBRUARY 9th, 1898.

STROUD RURAL DISTRICT COUNCIL,

No. 1 DISTRICT.

Sanitary Inspector's Report for 1897

To the Chairman and Members of the Council.

LADIES AND GENTLEMEN,

The following particulars contains a summary of the work carried out by me during the year.

Number of Entries in Inspector's Journal	253
,, ,, Notices to abate Nuisances	158
Visits and Consultations with the M.O.H	140
Inspections of Bakehouses	2 I
Bakehouses cleansed	4
Inspection of Slaughterhouses	29
Inspection of Dairies and Milk Stores	19
Insanitary Water-Closets made good	14.
Dwelling-houses cleansed	3,
Drains found defective by Chemical or Smoke Test	15
Dwelling-houses overcrowded	I
Offensive Accumulations removed	25
Defective Privy Accomodation	13.
Certificates granted under Sect. 6 of the Public	
Health (Water) Act	2
Samples of Water taken for Analysis	T 0
20011P1011P1011P101P101P101P101P101P101P	13
Improved Supplies of Water	3
Improved Supplies of Water	_
Improved Supplies of Water	_
Improved Supplies of Water	3
Improved Supplies of Water	3. 5.
Improved Supplies of Water	3 5 2
Improved Supplies of Water	5. 2
Improved Supplies of Water	5. 2
Improved Supplies of Water	3 5 2 1 13
Improved Supplies of Water	3 5 2 1 13

The insanitary state of various parts of the district were reported to you, and in some instances, great improvement made, but the town of Painswick is still in a very bad state. It has no proper system of sewerage, and the water in most of the wells is polluted by organic matter. In my opinion, there should be no delay in providing the inhabitants of this town with a sufficient supply of wholesome water for domestic purposes, and to take such other steps necessary to put the place in a good, sanitary condition.

The Infectious and Contagious Disease Cases dealt with were as follows:—

Name of Parish.		No. of Cases.	Name of Disease.		No. of Deaths.	No. of Houses in which disease occurred.
CHALFORD		I	Diphtheria .		0	I
CRANHAM	•••	6	Diphtheria .		I	4
,,	•••	ı	Typhoid Fever .		O	I
Painswick	•••	6	Scarlet Fever	• • •	O	3
,,	•••	5	Diphtheria .		O	5
,,,	•••	I	Membranous Crou	qı	I	I
,,	•••	I	Typhoid Fever	•••	I	I
,,	•••	3	Erysipelas	•••	o	3
Рітснсомве	• • •	2	Scarlet Fever	•••	0	2
THRUPP	•••	3	Typhoid Fever	•••	0	3
,,	•••	I	Scarlet Fever	•••	0	I
,,	•••	3	Erysipelas	• • •	o	3
WHITESHILL	• • •	3	Scarlet Fever		О	3
TOTAL		36	TOTAL	•••	3	31

Table shewing the number of cases of Infectious or Contagious Disease dealt with since the adoption of the Compulsory Notification Act.

Year.		N	o. of Cases.
1891	•••	• • •	130
1892	•••	• • •	8o
1893	•••	•••	47
1894	•••	•••	24
1895	• • •	•••	28
1896	• • •	•••	17
1897	• • •	•••	36
			-
	TOTAL		362

I personally fumigated the rooms and articles therein, likely to retain infection, in all houses where Infectious or Contagious Disease occurred. The instructions given by the Medical Officer of Health were duly carried out, and every precaution taken to prevent the spread thereof.

I beg to remain, Ladies and Gentlemen,

Your obedient Servant,

ALBERT BAILEY,

January, 1898.

Sanitary Inspector.



STROUD RURAL DISTRICT COUNCIL,

No. 2 DISTRICT.

Sanitary Inspector's Report.

To the Chairman and Members of the Council.

LADIES AND GENTLEMEN-

I beg to submit my Annual Statement of Particulars and Sanitary Duties fulfilled during the year ended December 31st, 1897, in obedience to the directions of the Council.

Notices served to effect Improvement	Sanitary Conditions and matters R	leporte	d	•••	267
Improved Sanitary Conveniences	Notices served to effect Improvem	ent	•••	•••	139
Samples of Water submitted for Analysis 17 Improved Water Supplies	Drains tested and proved defective	2	•••	•••	33
Improved Water SuppliesWells closedPlaces and Bakehouses improvedDairies, Stores and Cowsheds visitedHouses Over-crowded, abatedHouses Purified and CleansedVans Over-crowded, PurifiedHouses unfit for HabitationNuisances from keeping Animals abatedNuisance from Smoke abatedNuisances from Offal BoilingCollections of Animal Refuse abated	Improved Sanitary Conveniences	•••	• • •	•••	19
Wells closed	•	Analysis	S	• • •	17
Places and Bakehouses improved 17 Dairies, Stores and Cowsheds visited 7 Houses Over-crowded, abated 5 Vans Over-crowded, Purified 2 Houses unfit for Habitation 2 Nuisances from keeping Animals abated 14 Nuisance from Smoke abated 1 Nuisances from Offal Boiling 2 Collections of Animal Refuse abated 4		•••	•••	• • •	15
Dairies, Stores and Cowsheds visited		•••	• • •	•••	7
Houses Over-crowded, abated		•••	•••	•••	ΙΙ
Houses Purified and Cleansed 5 Vans Over-crowded, Purified 2 Houses unfit for Habitation 2 Nuisances from keeping Animals abated 14 Nuisance from Smoke abated 1 Nuisances from Offal Boiling 2 Collections of Animal Refuse abated 4	•	ted	•••	• • •	17
Vans Over-crowded, Purified 2 Houses unfit for Habitation 2 Nuisances from keeping Animals abated 14 Nuisance from Smoke abated 1 Nuisances from Offal Boiling 2 Collections of Animal Refuse abated 4	•		•••	•••	7
Houses unfit for Habitation 2 Nuisances from keeping Animals abated 14 Nuisance from Smoke abated 1 Nuisances from Offal Boiling 2 Collections of Animal Refuse abated 4		•••	• • •	•••	5
Nuisances from keeping Animals abated 14 Nuisance from Smoke abated 1 Nuisances from Offal Boiling 2 Collections of Animal Refuse abated 4			•••	• • •	2
Nuisance from Smoke abatedNuisances from Offal BoilingCollections of Animal Refuse abated4			•••	• • •	2
Nuisances from Offal Boiling 2 Collections of Animal Refuse abated 4	1 0	abated		•••	14
Collections of Animal Refuse abated 4		•••	• • •	• • •	I
· ·			•••	• • •	2
Summary proceedings taken 2		ted	•••	•••	4
	Summary proceedings taken	•••	•••	•••	2

In all cases of Infectious Disease precautions have been taken to prevent an increase of cases. The instructions of the Medical Officer of Health have been fulfilled respecting the Schools under supervision, and also in 18 cases of Scarlet Fever, 4 cases of Typhoid, 11 cases of Diphtheria, 2 cases of Puerperal Fever, 1 case of Membranous Croup and 6 cases of Erysipelas.

Three deaths occurring the interments were effected within the prescribed time with due precautions.

The proper disinfection and purification of the premises have been completed, and due reports made to the Medical Officer of Health of action taken. I have supplied disinfectants in necessitous cases.

Visits have been made in company with the Medical Officer of Health, and Investigations made respecting the supplies of water throughout the District.

Action has been taken to ensure the keeping of Dairies, Stores, and Cowsheds clean and in good order upon the suggestion of the Medical Officer of Health.

Bakehouses and places for the preparation of food have been inspected and improved.

Slaughter-houses have been periodically re-washed and cleansed.

Certificates respecting satisfactory water supplies have been issued to owners previous to the occupation of the dwellings, with the exception in one case of Edward Beavis, of Rodborough, against whom proceedings were taken, and a fine and costs imposed, to the amount of \pounds_2 14s. od., for a breach of the Public Health Water Acts.

Proceedings were also taken against Charles Jefferies, of Ebley, for keeping animals so as to be a Nuisance. An Order was obtained with costs and compliance to the Order was made.

Arrangements are carried out for the disposal of House Refuse at Stonehouse. New connections have been made to the Stonehouse Main Sewers.

The ventilation of the means of Drainage at Avenue Terrace, Stonehouse, through enforcement, have been improved.

A portion of new pipe sewer has been provided at Ebley, and improved ventilation and other work has been completed to the means of Drainage near the Ship Inn, Brimscombe.

The Sewage Tank at Minchinhampton has received attention.

The Regulations under the Petroleum Act have been complied with.

I beg to remain,

Your obedient Servant,

JOHN HALL.

February, 1898.

Sanitary Inspector



(A) TABLE OF DEATHS during the Year 1887, in STROUD RU

Names of					MORTALITY FROM ALL CAUSES, AT SUBJOINED AGES.								
adopted for the Statistics; public shown as sep	c insti	tutions b	peing	At all ages.) T	l and under 5	5 and under	15 and under 25	25 and under 65	65 and up- wards	S		
HORSLEY	•••	•••	•••	13	2		I		5	5	Unde 5 upw		
BISLEY	•••	• • •	•••	27	6	I			3	12	Unde		
CHALFORD	•••			49	12	I		I	12	23	Unde		
PAINSWICK	•••	•••		48	8	6	3	I	10	20	Unde 5 upwa		
CRANHAM	•••	•••	•••	3			1		I	I	Unde 5 upwa		
PITCHCOMBE	•••	•••	•••	3					2	I	Unde 5 upwa		
MISERDEN	* * •	,	•••	4					2	2	Unde 5 upwa		
STROUD RURA	L	• • •	•••	35	4	3	I	2	13	12	Unde 5 upwa		
MINCHINHAMP	ΓΟN		•••	63	9	9	2	2	19	22	Unde: 5 upwa		
RODBOROUGH	•••	•••	•••	37	5	3	2	2	10	15	Under 5 upwa		
KING STANLEY	•••	•••	•••	25	7	3		2	5	8	Under 5 upwa		
WOODCHESTER		•••	•••	7		I		1	2	3	Under 5 upwa		
STONEHOUSE	•••	••••		41	8	5	2	2	7	17	Under 5 upwa		
CAINSCROSS		•••		35	9	4		5	7	10	Under 5 upwa		
LEONARD STAN	ILEY	•••		9	3	2			2	2	Under 5 upwa		
RANDWICK	•••	•••	• • •	9	ı		ī	2	2	3	Under 5 upwa		
WORKHOUSE	•••	* * *	•••	26				I	5	20	Under 5 upwai		
HOSPITAL	***	6 + 4	•••	10			2	I	5	2	Under 5 upwat		
	Тс)TALS	• • •	443	74	38	15	22	117	178	Under 5 upwat		

5	1														
1	I	MORTA	LITY FR	OM SUB	JOINEI	CAUSI FIV	ES, DIS	STINGU ARS OF	ISHING AGE.	DEATH	IS OF	Снігрі	REN UN	DER	
	Diphtheria.	Membranous Croup.	Cancer.	Enteric or Typhoid Fever.	Measles.	Whooping Cough.	Diarrhœa and	Phthisis.	Bronchitis, Pneumonia	Heart Disease.	Influenza.	Injuries.	All other Diseases.	Total.	
3	•		I						I	3			6	2	
;			3			I		I	2	4	I		4	7 20	
			5			3		4	6 9	5		ı	12	13 36	
		I	5	I	1	2		2	3 4	5	I	I	6	14 34	
	I									2				3	
ı										2			I	3	
			I			_		I		I			I	4	
			I			2	2	3	5	7			2 I 2	7 28	
			3			• 4		5	3	5	3	I	18	18 45	
	1		4			I	2	3	6	6		I	3 8	8 29	
			2			2		2	5	4			3 6	10	
			I						3				I 2	6	
	I		I,			I		I 2	2 4	3	2		8	13 28	
	-	1	-			I	I	4	3 2	2			7	13	
			I			2	I		I	1			I 2	5 4	
			I						I 2	4			I	8	
			3						2	4			17	26	
			1							I		4	4	10	
	3	2	33	ı	ī	19	6	1 27	30 50	59	7	7	50 145	112 332	

Totals .	RANDWICK	LEONARD STANLEY	CAINSCROSS	STONEHOUSE	WOODCHESTER .	KING STANLEY	RODBOROUGH	MINCHINHAMPTON .	STROUD RURAL .	
:	<u>:</u>	:	:	:	:	:	:	:	:	
27,195										
30,226	^	, dings								
661			139				134	93	61	,
Under 5 5 upwards	5 upwards	Under 5								
30		—		ω	4	I	Οī	ω	4	
23			2	6			Ю	I		
2			pard.							
							—		ယ	
~			6							
8	I		8					н		

(B) TABLE OF POPULATION, BIRTHS, AND OF NEW CASES OF INFECTIOUS SICKNESS, coming to the knowledge of the Medical Officer of Health, during the Year 1897, in the STROUD RURAL DISTRICT; classified according to Diseases, Ages and Localities.

	PITCHCOMBE	CRANHAM	PAINSWICK	CHALFORD	BISLEY	HORSLEY	NAMES OF LOCALITIES adopted for the purpose of these Statistics; Public Institutions being shown as separate localities.		
			0		-		Last Census.	POPULATION AT ALL AGES.	
							Estimated to middle of 1827		
			72		127	35	Registered Births.		
Under	Under 5 5 upwards	Aged under 5 or over 5.							
	ы		6			-	Scarlatina.	NET LOCAL OF TH	
		6	Cr	н			Diphtheria.	NEW CASES OF SICKNESS IN EACH LOCALITY, COMING TO THE KNOWLEDGH OF THE MEDICAL OFFICER OF HEALTH	
			н				Membranous Croup.		
		H	н				Enteric or Typhoid. For Puerperal S.	SICKNESS IN EACH TO THE KNOWLEDGE)FFICER OF HEALTH.	
							Puerperal S.	S IN EA KNOWI OF HE	
			4			и	Erysipelas.	CH JEDGE ALTH,	

